

Micro-Pack Female Connectors Sealed							
# Cavities	Connector	Color	Material	TPA	Retainer**	Seal	Strain Relief
24	12129225	Natural	PBT	_	12129183	12110403*	12110155
32	12129025	Natural	PBT	_	12129023	12129026*	12129030
36	12110487	Black	PBT	_	12110488	12110489*	12110490

<sup>\*</sup> Validated for 0.80-0.50 cable.


<sup>\*\*</sup> Retainers provide terminal position assurance.




## Sealed System Application Information

#### Micro-Pack 100W Terminals - Gold Plated

Cable range (mm²): ...... 0.35-0.8 current range (amps): ...... 0-7.5 temp range °c: ...... -40 to 125 resistance: ..... <10m $\Omega$ @20mV voltage drop: ... <10.0mV/amp centerline spacing (mm): ..... 3.5 terminal diameter (mm): ..... 1.0





<sup>\*</sup>The test data are based on single circuits in free space and were generated using a "Lumped Resistance" model. This model does not account for all of the variables that would be present in an actual application. For actual product performance, contact your regional support representative.



**Male Header Connector Assembly** 


Micro-Pack Male Header Connector Assemblies Sealed				
# Cavities	Connector	Color	Material	
24	12092320	Black	PBT 30% GF	
32	12129008	Blue	PBT 30% GF	
36	12110485	Black	PBT 30% GF	

Terminals included in connector assembly.

#### **SECTION NOTES:**

 Sealing shroud and locking feature for connector assembly must be designed into mating device housing.





Description:	Connector 24F		
·			
Size:	32.0L x 10.0H x 44.5		
Color:	Natural		
Material:	PBT		
Terminals:	See Page 3.24		

#### **B.** Part No: 12129183

Description:	Retainer 24F
Color:	Black
Material:	PC

#### C. Part No: 12110403

Description:	Seal 24F	
Color:	Green	
Material:	Silicone	

## D. Part No: 12110155

(Right Wire Dress)

Description:	Strain Relief 24F	
Color:	Gray	
Size:	33.9L x 28.9H x 55.2W	
Material:	TEEE	


## E. Part No: 12110299

Description:	CPA	
Color:	Red	
Material:	PBT	

## F. Part No: 12092320

Description:	Connector Assembly 24M	
Size:	25.7L x 20.0H x 53.8W	
Color:	Black	
Material:	PBT 30% GF	





Description: Connector 32F	
Size:	31.5L x 10.0H x 56.5W
Color:	Natural
Material:	PBT
Terminals:	See Page 3.24

B. Part No: 12129023\* (Md. Blue)

12129021\* (Black) 12129022\* (Clear)

Description: Retainer 32F

Material: PC

\*Different indexing feature.

C. Part No: 12129026

Description: Seal 32F
Color: Green
Material: Silicone

D. Part No: 12129030

(Right Wire Dress)

Description:	Strain Relief 32F		
Size:	29.6L x 28.9H x 67.3W		
Color:	Gray		
Material:	TEEE		

E. Part No: 12110299

Description:	CPA	
Color:	Red	
Material:	PBT	


F. Part No: 12129008\* (Blue)

12186041\* (Black) 12186043\* (Gray)

Description: Connector Assembly 32M
Size: 26.1L x 20.0H x 66.8W
Material: PBT 30% GF

<sup>\*</sup>Different indexing feature.





A. Part No: 12110487

Description:	Connector 36F		
Size:	32.0L x 10.0H x 62.5W		
Color:	Black		
Material:	PBT		
Terminale:	See Page 3 2/		

### **B.** Part No: 12110488

Description:	Retainer 36F	
Color:	Clear	
Material:	PC.	

### C. Part No: 12110489

Description:	Seal 36F	
Color:	Green	
Material:	Silicone	

## **D.** Part No: 12110490

(Right Wire Dress)

Description:	Strain Relief 36F	
Size:	39.2L x 28.9H x 85.5W	
Color:	Gray	
Material:	TEEE	

## E. Part No: 12110299

Description:	CPA	
Color:	Red	
Material:	PBT	

### F. Part No: 12110485

Description:	escription: Connector Assembly 36M	
Size:	25.7L x 20.0H x 71.8W	
Color:	Black	
Material:	PBT 30% GF	